Report No.: 8003-447

Rev. No.: 1

CONFIDENTIAL

NOT FOR PUBLIC RELEASE

RECOMMENDATION

The Franklin Plastics (FP) site is located along the Passaic River in Kearny, New Jersey. FP occupies approximately 8 acres in a mixed industrial/commercial portion of Kearny. The site is bounded to the west by the Passaic River, to the east by Passaic Avenue, to the north by a retail/warehouse complex, and to the south by industrial/manufacturing businesses. FP receives plastic resin as a solid or powder, then adds pigment and varying amounts of plasticizer to the customer's specifications. The final product is PVC pellets, which are sold to individual customers for conversion into end products.

As part of the ECRA investigation of the FP facility, Recon Systems Inc. collected groundwater samples and soil samples in June 1987 and June 1990. The analytical data from the June 1987 sampling event indicated the presence of Aroclor 1242, bis(2-ethylhexyl) phthalate, chloroethane, arsenic, copper, lead, and zinc. The analytical data from the June 1990 sampling event indicated the presence of arsenic, beryllium, copper, lead, and zinc. The analysis of the June 1987 soil samples indicated the presence of bis(2-ethylhexyl) phthalate, butylbenzyl phthalate, di-n-octyl phthalate, n-nitrosodiphenylamine, 1,1,1-trichloroethane, 1,1-dichloroethene, methylene chloride, antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, and zinc. The analysis of the June 1990 soil samples indicated the presence of antimony, cadmium, chromium, copper, lead, and zinc. The QA/QC for these samples is unknown. Also, due to the lack of an adequate background soil sample and background groundwater sample, it is not possible to determine if these contaminants are present at levels above background.

As part of the 1990 EPA Site Inspection of the FP facility, soil samples and surface water/sediment samples were collected. The analysis of the surface water sample collected from a NJPDES-permitted outfall pipe on the Passaic River indicated the presence of chloroform, cadmium, copper, lead, and zinc. As a result, a release to surface water via direct observation is documented. The analysis of the aqueous sample collected from the sump pit indicated the presence of chloroform, cadmium, copper, lead, and zinc. The analysis of the sediment sample collected from the sump pit indicated the presence of butylbenzyl phthalate, di- n-octyl phthalate, bis(2ethylhexyl) phthalate, antimony, arsenic, beryllium, cadmium, copper, chromium, lead, mercury, nickel, and zinc. The analysis of the soil samples indicated the presence of 2-butanone, 4-methyl-2-pentanone, dibenzofuran, di-n-butyl phthalate, butylbenzyl phthalate, di- n-octyl phthalate, bis(2-ethylhexyl) phthalate, antimony, arsenic, cadmium, copper, chromium, lead, mercury, nickel, and zinc. The analysis of the composite waste source sample (NJEP-S2) indicated the presence of di-n-butyl phthalate, butylbenzyl phthalate, bis(2ethylhexyl) phthalate, cadmium, copper, chromium, lead, mercury, nickel, silver, and zinc. Although surface water and sediment samples were collected, none were collected from the Passaic River. Also, due to the lack of an adequate background sample it is not possible to determine if these contaminants are present at levels above background. Available documentation does not indicate that a release to air has occurred from the site. No readings above background were detected with an HNu photoionization detector during the EPA on-site reconnaissance and sampling event.

No residents within four miles of the site utilize groundwater as their source of potable water. These residents obtain their drinking water from the Wanaque Reservoir, which is not located along the 15-mile surface water pathway. The proximity of the site to a wellhead protection area cannot be determined since wellhead protection areas are not delineated in the State of New Jersey. Along the surface water pathway, the Passaic

Report No.: 8003-447

Rev. No.: 1

CONFIDENTIAL

NOT FOR PUBLIC RELEASE

RECOMMENDATION

River, Newark Bay, and the Kill Van Kull are classified as SE3 by the NJDEP (where Class SE3 waterbodies are waters primarily for secondary contact recreational purposes). There are no surface water intakes along the surface water pathway of the site. The Passaic River, Newark Bay, and the Kill Van Kull are considered fisheries; however, a NJDEP advisory is in effect for the Newark Bay Complex, which comprises Newark Bay, the Passaic River, and the Kill Van Kull. The advisory prohibits the sale or consumption of striped bass and blue crabs, and limits the consumption of bluefish, white catfish, and white perch. One Federally-listed endangered species is located along the 15-mile surface water pathway. Along the surface water pathway for the site there are 6.44 miles of wetlands frontage. There are 31 workers on-site daily. The site is secured and inaccessible to the public. There are no residences, schools, day care facilities or known terrestrial sensitive environments within 200 feet of the site. There are approximately 224 acres of wetlands within four-miles of the site. Approximately 523,604 individuals reside within the four-mile radius. Two Federally-listed endangered species habitats are located within four miles of the site. Five New Jersey State-listed endangered species habitats and one New Jersey State-listed threatened species habitat are located within four miles of the site.

There are no potable wells within four miles of the site. Although a release to surface water via direct observation is documented, there are no actual contaminated targets. In addition a release to air from the site is not documented.

The above information supports a recommendation of **No Further Remedial Action Planned (NFRAP)** for the Franklin Plastic site. The following is the definition of NFRAP: To the best of the EPA's knowledge, Superfund has completed an assessment at this site, and has determined that no further steps to list this site on the NPL will be taken unless information indicating that this decision was not appropriate or other considerations make a recommendation that for listing appropriate at a later time. A "NFRAP" decision does not necessarily mean that there is no hazard associated with a given site; it means only that based upon available information, the location is not judged to be a potential NPL site.

PREscore 3.0 - PRESCORE.TCL File 07/25/94 HRS DOCUMENTATION RECORD Franklin Plastic - 10/02/95

PAGE:

1. Site Name: Franklin Plastic (as entered in CERCLIS)

2. Site CERCLIS Number: NJD011121589

3. Site Reviewer: Steven T. McNulty

4. Date: 9/12/95

5. Site Location: Town of Kearny/Hudson, New Jersey

(City/County,State)

6. Congressional District:

7. Site Coordinates: Single

Latitude: 40 45'16.

Longitude: 074 09'53.

	Score	<u> </u>
Ground Water Migration Pathway Score (Sgw)	0.00	
Surface Water Migration Pathway Score (Ssw)	53.35	
Soil Exposure Pathway Score (Ss)	1.13	
Air Migration Pathway Score (Sa)	16.67	
		-
Site Score	27.95	Ī

EPA uses the terms "facility," "site," and "release" interchangeably. The term "facility" is broadly defined in CERCLA to include any area where hazardous substances have "come to be located" (CERCLA Section 109(9)), and the listing process is not intended to define or reflect boundaries of such facilities or releases. Site names, and references to specific parcels or properties, are provided for general identification purposes only. Knowledge regarding the extent of sites will be refined as more information is developed during the RI/FS and even during implementation of the remedy.

1

1. WASTESTREAM QUANTITY SUMMARY TABLE, SOURCE: Wastestream/SumpPit

a. Wastestream ID	Sump Pit Discharge
b. Hazardous Constituent Quantity (C) (1bs.)	4.61
c. Data Complete?	NO
d. Hazardous Wastestream Quantity (W) (1bs.)	37500000.00
e. Data Complete?	NO
f. Wastestream Quantity Value (W/5,000)	7.50E+03

Wastestream Constituent Hazardous Substances	Concent.	Units	Liquid	Qualifier
Cadmium Chloroform Copper Lead Zinc	1.3E+01 1.4E+01 4.2E+01 1.9E+01 3.5E+01	ppb ppb ppb ppb ppb	YES YES YES YES YES	

2

2. SOURCE HAZARDOUS WASTE QUANTITY FACTOR TABLE

a. Source ID	Wastestream/SumpPit
b. Source Type	Other
c. Secondary Source Type	N.A.
d. Source Vol.(yd3/gal) Source Area (ft2)	10.00 0.00
e. Source Volume/Area Value	4.00E+00
f. Source Hazardous Constituent Quantity (HCQ) Value (sum of 1b)	4.61E+00
g. Data Complete?	NO
h. Source Hazardous Wastestream Quantity (WSQ) Value (sum of 1f)	7.50E+03
i. Data Complete?	NO
k. Source Hazardous Waste Quantity (HWQ) Value (2e, 2f, or 2h)	7.50E+03

Source Hazardous Substances	Depth (feet)	Liquid	Concent.	Units
Antimony Beryllium Bis (2-ethylhexyl) phthalate Butylbenzyl phthalate Cadmium Chromium Copper Di-n-octyl phthalate Lead Mercury Nickel Zinc	< 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	YES	4.9E+01 1.8E+01 1.3E+04 4.7E+02 2.0E+02 5.6E+01 3.3E+02 8.0E+05 8.2E+02 2.5E-01 4.0E+01 7.6E+02	ppm

PAGE:

1. WASTESTREAM QUANTITY SUMMARY TABLE, SOURCE: Drums

a. Wastestream ID		
b. Hazardous Constituent Quantity (C) (1bs.)	0.00	
c. Data Complete?	NO	
d. Hazardous Wastestream Quantity (W) (1bs.)	0.00	
e. Data Complete?	NO	
f. Wastestream Quantity Value (W/5,000)	0.00E+00	

,

PAGE:

- 10/02/95

2. SOURCE HAZARDOUS WASTE QUANTITY FACTOR TABLE

a. Source ID	Drums		
b. Source Type	Drums		
c. Secondary Source Type	N.A.		
d. Source Vol.(yd3/gal) Source Area (ft2)	600.00		0.00
e. Source Volume/Area Value	1.20E+00		
f. Source Hazardous Constituent Quantity (HCQ) Value (sum of 1b)	0.00E+00		
g. Data Complete?	NO		
h. Source Hazardous Wastestream Quantity (WSQ) Value (sum of 1f)	0.00E+00		
i. Data Complete?	NO		
k. Source Hazardous Waste Quantity (HWQ) Value (2e, 2f, or 2h)	1.20E+00		

Source Hazardous Substances	Depth (feet)	Liquid	Concent.	Units
Bis (2-ethylhexyl) phthalate Butylbenzyl phthalate Cadmium Chromium Copper Di-n-butyl phthalate Lead Mercury Nickel Silver Zinc	< 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	NO NO NO NO NO NO NO NO NO	1.1E+02 1.1E+04 2.9E+01 7.6E+01 2.4E+01 3.4E+04 3.0E+02 1.6E-01 4.6E+01 3.7E+01 7.9E+01	ppm

1. WASTESTREAM QUANTITY SUMMARY TABLE, SOURCE: Contaminated Soil

a. Wastestream ID		
b. Hazardous Constituent Quantity (C) (lbs.)	0.00	
c. Data Complete?	NO	
d. Hazardous Wastestream Quantity (W) (1bs.)	0.00	
e. Data Complete?	NO	
f. Wastestream Quantity Value (W/5,000)	0.00E+00	

- 10/02/95

2. SOURCE HAZARDOUS WASTE QUANTITY FACTOR TABLE

a. Source ID	Contaminated Soil	
b. Source Type	Contaminated Soil	
c. Secondary Source Type	N.A.	
d. Source Vol.(yd3/gal) Source Area (ft2)	0.00 350000.0	00
e. Source Volume/Area Value	1.03E+01	
f. Source Hazardous Constituent Quantity (HCQ) Value (sum of 1b)	0.00E+00	
g. Data Complete?	NO	
h. Source Hazardous Wastestream Quantity (WSQ) Value (sum of 1f)	0.00E+00	
i. Data Complete?	NO	
k. Source Hazardous Waste Quantity (HWQ) Value (2e, 2f, or 2h)	1.03E+01	

Source Hazardous Substances	Depth (feet)	Liquid	Concent.	Units
Antimony Arsenic Bis (2-ethylhexyl) phthalate Butylbenzyl phthalate Cadmium Chromium Copper Di-n-butyl phthalate Di-n-octyl phthalate Dibenzofuran Lead Mercury Methyl ethyl ketone Methyl isobutyl ketone Nickel Zinc	< < < < < < < < < < < < < < < < < < <	NO NO NO NO NO NO NO NO NO NO NO NO	8.8E+01 1.4E+01 1.6E+03 1.6E+04 7.8E+01 2.8E+02 3.3E+02 5.0E-01 7.8E+01 4.3E-01 2.5E+03 3.1E-01 2.9E-02 1.3E+02 1.0E+03	ppm

PAGE:

8

3. SITE HAZARDOUS WASTE QUANTITY SUMMARY

No. Source ID	Migration Pathways	Vol. or Area Value (2e)	Constituent or Wastestream Value (2f,2h)	Hazardous Waste Oty. Value (2k)
1 Wastestream/SumpPit	SW	4.00E+00	7.50E+03	7.50E+03
2 Drums	GW-SW-SE-A	1.20E+00	0.00E+00	1.20E+00
3 Contaminated Soil	GW-SW-SE-A	1.03E+01	0.00E+00	1.03E+01

PRESCORE 3.0 - PRESCORE.TCL File 07/25/94 WASTE QUANTITY

- 10/02/95 Franklin Plastic

4. PATHWAY HAZARDOUS WASTE QUANTITY AND WASTE CHARACTERISTICS SUMMARY TABLE

Migration Pathway	Contaminant Value	es	HWQVs*	WCVs**
Ground Water	Toxicity/Mobility	1.00E+04	10	18
SW: Overland Flow, DW	Tox./Persistence	1.00E+04	100	32
SW: Overland Flow, HFC	Tox./Persis./Bioacc.	5.00E+08	100	.320
SW: Overland Flow, Env	Etox./Persis./Bioacc.	5.00E+08	100	320
SW: GW to SW, DW	Tox./Persistence	2.00E+03	10	10
SW: GW to SW, HFC	Tox./Persis./Bioacc.	1.00E+07	10	100
SW: GW to SW, Env	Etox./Persis./Bioacc.	1.00E+06	10	56
Soil Exposure:Resident	Toxicity	1.00E+04	100	32
Soil Exposure: Nearby	Toxicity	1.00E+04	10	18
Air	Toxicity/Mobility	2.00E+03	10	10

* Hazardous Waste Quantity Factor Values
** Waste Characteristics Factor Category Values

Note:

SW = Surface Water
GW = Ground Water
DW = Drinking Water Threat
HFC = Human Food Chain Threat
Env = Environmental Threat

PRESCORE 3.0 - PRESCORE.TCL File 07/25/94 GROUND WATER MIGRATION PATHWAY SCORESHEET Franklin Plastic - 10/02/95

GROUND WATER MIGRATION PATHWAY Factor Categories & Factors	Maximum Value	Value Assigned
Likelihood of Release to an Aquifer Aquifer: Unconsolidated/Bedro		
1. Observed Release 2. Potential to Release	550	0
2. Potential to Release 2a. Containment 2b. Net Precipitation 2c. Depth to Aquifer 2d. Travel Time 2e. Potential to Release	10 10 5 35	10 6 5 35
[lines 2a(2b+2c+2d)] 3. Likelihood of Release	500 550	460 460
Waste Characteristics		
4. Toxicity/Mobility 5. Hazardous Waste Quantity 6. Waste Characteristics	* * 100	1.00E+04 10 18
Targets		
7. Nearest Well	50	0.00E+00
8. Population 8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c) 9. Resources 10. Wellhead Protection Area 11. Targets (lines 7+8d+9+10) 12. Targets (including overlaying aquifers) 13. Aquifer Score	** ** 5 20 ** **	0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00
GROUND WATER MIGRATION PATHWAY SCORE (Sgw)	100	0.00

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

PRESCORE 3.0 - PRESCORE.TCL File 07/25/94 PAGE: SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT SCORESHEET Franklin Plastic - 10/02/95

SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT Factor Categories & Factors DRINKING WATER THREAT	Maximum Value	Value Assigned
Likelihood of Release		
1. Observed Release 2. Potential to Release by Overland Flow	550	550
2a. Containment 2b. Runoff 2c. Distance to Surface Water 2d. Potential to Release by Overland Flow [lines 2a(2b+2c)]	10 25 25 500	10 1 25 260
3. Potential to Release by Flood 3a. Containment (Flood) 3b. Flood Frequency 3c. Potential to Release by Flood (lines 3a x 3b)	10 50 500	10 50 500
4. Potential to Release (lines 2d+3c) 5. Likelihood of Release	500 550	500 550
Waste Characteristics	•	
6. Toxicity/Persistence 7. Hazardous Waste Quantity 8. Waste Characteristics	* * 100	1.00E+04 100 32
Targets		
9. Nearest Intake 10. Population	50	0.00E+00
10a. Level I Concentrations 10b. Level II Concentrations 10c. Potential Contamination 10d. Population (lines 10a+10b+10c) 11. Resources 12. Targets (lines 9+10d+11)	** ** ** 5 **	0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00
13. DRINKING WATER THREAT SCORE	100	0.00

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT Factor Categories & Factors HUMAN FOOD CHAIN THREAT	Maximum Value	Value Assigned
Likelihood of Release		
14. Likelihood of Release (same as line 5)	550	550
Waste Characteristics		
15. Toxicity/Persistence/Bioaccumulation 16. Hazardous Waste Quantity 17. Waste Characteristics	* * 1000	5.00E+08 100 320
Targets		
18. Food Chain Individual 19. Population 19a. Level I Concentrations	50	2.00E+01
19a. Level 1 Concentrations 19b. Level II Concentrations 19c. Pot. Human Food Chain Contamination 19d. Population (lines 19a+19b+19c) 20. Targets (lines 18+19d)	**	0.00E+00 0.00E+00 3.60E-06 3.60E-06 2.00E+01
21. HUMAN FOOD CHAIN THREAT SCORE	100	42.67

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

PRESCORE 3.0 - PRESCORE.TCL File 07/25/94 PAG SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT SCORESHEET Franklin Plastic - 10/02/95 PAGE:

SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT Factor Categories & Factors ENVIRONMENTAL THREAT	Maximum Value	Value Assigned
Likelihood of Release		
22. Likelihood of Release (same as line 5)	550	550
Waste Characteristics		
23. Ecosystem Toxicity/Persistence/Bioacc. 24. Hazardous Waste Quantity 25. Waste Characteristics	* * 1000	5.00E+08 100 320
Targets		
26. Sensitive Environments 26a. Level I Concentrations 26b. Level II Concentrations 26c. Potential Contamination 26d. Sensitive Environments (lines 26a+26b+26c) 27. Targets (line 26d)	** ** ** **	0.00E+00 5.00E+00 6.50E-03 5.01E+00
28. ENVIRONMENTAL THREAT SCORE	60	10.68
29. WATERSHED SCORE	100	53.35
30. SW: OVERLAND/FLOOD COMPONENT SCORE (Sof)	100	53.35

^{*} Maximum value applies to waste characteristics category.
** Maximum value not applicable.

GROUND WATER TO SURFACE WATER MIGRATION COMPONENT Factor Categories & Factors DRINKING WATER THREAT	Maximum Value	Value Assigned
Likelihood of Release to Aquifer Aquifer: Unconsolidated/Bedro		
1. Observed Release 2. Potential to Release 2a. Containment 2b. Net Precipitation 2c. Depth to Aquifer 2d. Travel Time 2e. Potential to Release [lines 2a(2b+2c+2d)] 3. Likelihood of Release	550 10 10 5 35 500 550	0 10 6 5 35 460 460
Waste Characteristics		
4. Toxicity/Mobility/Persistence 5. Hazardous Waste Quantity 6. Waste Characteristics	* * 100	2.00E+03 10 10
Targets		
7. Nearest Intake 8. Population 8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c) 9. Resources 10. Targets (lines 7+8d+9)	50 ** ** ** ** 5	0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00
11. DRINKING WATER THREAT SCORE	100	0.00

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

GROUND WATER TO SURFACE WATER MIGRATION COMPONENT Factor Categories & Factors HUMAN FOOD CHAIN THREAT	Maximum Value	Value Assigned
Likelihood of Release		
12. Likelihood of Release (same as line 3)	550	460
Waste Characteristics		
13. Toxicity/Mobility/Persistence/Bioacc. 14. Hazardous Waste Quantity 15. Waste Characteristics	* * 1000	1.00E+07 10 100
Targets		
16. Food Chain Individual	50	0.00E+00
17a. Level I Concentrations 17b. Level II Concentrations 17c. Pot. Human Food Chain Contamination 17d. Population (lines 17a+17b+17c) 18. Targets (lines 16+17d)	** ** ** ** **	0.00E+00 0.00E+00 1.80E-06 1.80E-06 1.80E-06
19. HUMAN FOOD CHAIN THREAT SCORE	100	0.00

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

COUND WATER TO CUREACE WATER MICRATION		
GROUND WATER TO SURFACE WATER MIGRATION COMPONENT	Maximum	Value
Factor Categories & Factors ENVIRONMENTAL THREAT	Value	Assigned
Likelihood of Release		
20. Likelihood of Release (same as line 3)	550	460
Waste Characteristics		
21. Ecosystem Tox./Mobility/Persist./Bioacc. 22. Hazardous Waste Quantity	*	1.00E+06 10
23. Waste Characteristics	1000	56
Targets		
24. Sensitive Environments	**	0.005.00
24a. Level I Concentrations 24b. Level II Concentrations	**	0.00E+00 0.00E+00
24c. Potential Contamination	**	3.50E-03
24d. Sensitive Environments (lines 24a+24b+24c)	**	3.50E-03
25. Targets (line 24d)	**	3.50E-03
26. ENVIRONMENTAL THREAT SCORE	60	0.00
27. WATERSHED SCORE	100	0.00
28. SW: GW to SW COMPONENT SCORE (Sgs)	100	0.00

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

PRESCORE 3.0 - PRESCORE.TCL File 07/25/94 SOIL EXPOSURE PATHWAY SCORESHEET Franklin Plastic - 10/02/95

PAGE:

8

SOIL EXPOSURE PATHWAY Factor Categories & Factors RESIDENT POPULATION THREAT	Maximum Value	Value Assigned
Likelihood of Exposure		
1. Likelihood of Exposure	550	550
Waste Characteristics		
2. Toxicity 3. Hazardous Waste Quantity 4. Waste Characteristics	* * 100	1.00E+04 100 32
Targets		
5. Resident Individual 6. Resident Population	50	0.00E+00
6a. Level I Concentrations 6b. Level II Concentrations 6c. Resident Population (lines 6a+6b) 7. Workers 8. Resources 9. Terrestrial Sensitive Environments 10. Targets (lines 5+6c+7+8+9)	** ** 15 5 ***	0.00E+00 0.00E+00 0.00E+00 5.00E+00 0.00E+00 5.00E+00
11. RESIDENT POPULATION THREAT SCORE	**	8.80E+04

^{*} Maximum value applies to waste characteristics category.

** Maximum value not applicable.

*** No specific maximum value applies, see HRS for details.

SOIL EXPOSURE PATHWAY Factor Categories & Factors NEARBY POPULATION THREAT	Maximum Value	Value Assigned
Likelihood of Exposure		
12. Attractiveness/Accessibility 13. Area of Contamination 14. Likelihood of Exposure	100 100 500	5.00E+00 5.00E+00 5.00E+00
Waste Characteristics		
15. Toxicity 16. Hazardous Waste Quantity 17. Waste Characteristics	* * 100	1.00E+04 10 18
Targets		
18. Nearby Individual 19. Population Within 1 Mile 20. Targets (lines 18+19)	1 ** **	1.00E+00 5.70E+01 5.80E+01
21. NEARBY POPULATION THREAT SCORE	**	5.22E+03
SOIL EXPOSURE PATHWAY SCORE (Ss)	100	1.13

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

PREscore 3.0 - PRESCORE.TCL File 07/25/94 AIR PATHWAY SCORESHEET Franklin Plastic - 10/02/95

PAGE:

10

AIR MIGRATION PATHWAY Factor Categories & Factors	Maximum Value	Value Assigned
Likelihood of Release		
1. Observed Release	550	0
 2. Potential to Release 2a. Gas Potential to Release 2b. Particulate Potential to Release 2c. Potential to Release 3. Likelihood of Release 	500 500 500 550	360 280 360 360
Waste Characteristics		
4. Toxicity/Mobility 5. Hazardous Waste Quantity 6. Waste Characteristics	* * 100	2.00E+03 10 10
Targets		
7. Nearest Individual	50	2.00E+01
8. Population 8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c) 9. Resources	** ** ** 5	0.00E+00 0.00E+00 3.61E+02 3.61E+02 0.00E+00
10. Sensitive Environments 10a. Actual Contamination 10b. Potential Contamination 10c. Sens. Environments(lines 10a+10b) 11. Targets (lines 7+8d+9+10c)	*** *** **	0.00E+00 1.00E+00 1.00E+00 3.82E+02
AIR MIGRATION PATHWAY SCORE (Sa)	100	1.67E+01

^{*} Maximum value applies to waste characteristics category.
** Maximum value not applicable.
*** No specific maximum value applies, see HRS for details.